HIGH-VOLTAGE NEON

Neon 230VAC Std&White · Side-Bend 901XD

TRU-HNA

Neon 230VAC Std&White · Side-Bend 901XD. Review the dimensions and electrical ratings for your installation.

Use this catalog sheet to discuss your project. Final dimensions, ratings, certifications and available configurations must be confirmed for the selected product.



Product specifications

Truled part number	TRU-HNA
Category	High voltage
Product type	High-voltage neon

Configuration reference

TRU-HNA-A

Style	Side-Bend
Dimension	W10*H20mm [W0.39*H0.79in.]
Max. Length	50M [164ft.]
Increment	100mm [4in.]
LED Type	SMD2835 / 3 Step 1 Bin
LED Qty	140LED/M [43LED/ft.)
Voltage	230VAC
PF	>0.9
Power	12W/M [3.66W/ft.]
CCT / Wavelength	2700K±120K 3000K±150K 3500K±300K 4000K±300K 5000K±400K 6500K±500K
Brightness @4000K&CRI80	415lm/M [127lm/ft.]
Brightness @4000K&CRI90	330lm/M [101lm/ft.]
Beam Angle	120°
IP Rating	IP65 [Wet]

Configuration reference

TRU-HNA-B

Style	Side-Bend
Dimension	W10*H20mm [W0.39*H0.79in.]
Max. Length	50M [164ft.]
Increment	200mm [8in.]
LED Type	SMD2835 / 3 Step 1 Bin
LED Qty	140LED/M [43LED/ft.]
Voltage	230VAC
PF	>0.9
Power	12W/M [3.66W/ft.]
CCT / Wavelength	2700K±120K 3000K±150K 3500K±300K 4000K±300K 5000K±400K 6500K±500K
Brightness @4000K&CRI80	415lm/M [127lm/ft.]
Brightness @4000K&CRI90	330lm/M [101lm/ft.]
Beam Angle	120°
IP Rating	IP65 [Wet]

Configuration reference

TRU-HNA-C

Style	Side-Bend
Dimension	W10*H20mm [W0.39*H0.79in.]
Max. Length	50M [164ft.]
Increment	500mm [19.7in]
LED Type	SMD2835 / 3 Step 1 Bin
LED Qty	180LED/M [55LED/ft.]
Voltage	230VAC
PF	>0.9
Power	12W/M [3.66W/ft.]
CCT / Wavelength	2700K±120K 3000K±150K 3500K±300K 4000K±300K 5000K±400K 6500K±500K
Brightness @4000K&CRI80	415lm/M [127lm/ft.]
Brightness @4000K&CRI90	330lm/M [101lm/ft.]
Beam Angle	120°
IP Rating	IP65 [Wet]

Request pricing & availability

Request a product quote at truled.com

Include any configuration reference, quantities, required lengths and project location.

A configuration reference identifies a published specification row. A row may list multiple options; it is not confirmation that every option is included. This sheet is not an installation instruction or an approved project submittal.