COB STRIPS

White Ultra-Long 10M 48V 320Chips/M 8mm LED strip

TRU-SCOA48V8MM

White Ultra-Long 10M 48V 320Chips/M 8mm LED strip. Review the dimensions and electrical ratings for your installation.

Use this catalog sheet to discuss your project. Final dimensions, ratings, certifications and available configurations must be confirmed for the selected product.



Product specifications

Truled part number	TRU-SCOA48V8MM
Category	LED strips
Product type	COB strips

Configuration reference

TRU-SCOA48V8MM-A

Dimension	L10000*W8*H2.9mm [L394*W0.31*H0.11in.]
Increment	50mm [1.97in.]
LED Type	COB (Chip On Board)
LED Qty	320chips/M [98chips/ft.]
Voltage	48VDC
Power	8W/M [2.44W/ft.]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	712lm/M[217lm/ft.] (2700K)
Light Efficiency	89lm/W (2700K)
Brightness	736lm/M[224lm/ft.] (3000K)
Light Efficiency	92lm/W (3000K)
Brightness	824lm/M[251lm/ft.] (4000K)
Light Efficiency	103lm/W (4000K)
Beam Angle	150°
IP Rating	IP20/IP65/ IP67 Plus [Dry/Wet]

Configuration reference

TRU-SCOA48V8MM-B

Dimension	L10000*W8*H2.9mm [L394*W0.31*H0.11in.]
Increment	50mm [1.97in.]
LED Type	COB (Chip On Board)
LED Qty	320chips/M [98chips/ft.]
Voltage	48VDC
Power	8W/M [2.44W/ft.]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	832lm/M[254lm/ft.] (5000K)
Light Efficiency	104lm/W (5000K)
Brightness	840lm/M[256lm/ft.] (6500K)
Light Efficiency	105lm/W (6500K)
Brightness	Not specified
Light Efficiency	Not specified
Beam Angle	150°
IP Rating	IP20/IP65/ IP67 Plus [Dry/Wet]

Request pricing & availability

Request a product quote at truled.com

Include any configuration reference, quantities, required lengths and project location.

A configuration reference identifies a published specification row. A row may list multiple options; it is not confirmation that every option is included. This sheet is not an installation instruction or an approved project submittal.