
COB STRIPS

White Ultra-Wide 24V 1920Chips/M 30mm LED strip

TRU-SCOB24V

White Ultra-Wide 24V 1920Chips/M 30mm LED strip. Review the dimensions and electrical ratings for your installation.

Use this catalog sheet to discuss your project. Final dimensions, ratings, certifications and available configurations must be confirmed for the selected product.



Product specifications

Truled part number	TRU-SCOB24V
Category	LED strips
Product type	COB strips

Configuration reference

TRU-SCOB24V-A

Dimension	3000*30*2.3mm [118*1.18*0.09in.]
Increment	25mm [0.98in.]
LED Type	COB (Chip On Board))
LED Qty	1920chips/M [585chips/ft.]
Voltage	24VDC
Power	30W/M [6.1W/ft.]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	2450lm/M[750lm/ft.] (2700K)
Light Efficiency	85lm/W (2700K)
Brightness	2510lm/M[765lm/ft.] (3000K)
Light Efficiency	84lm/W (3000K)
Brightness	2790lm/M[850lm/ft.] (4000K)
Light Efficiency	93lm/W (4000K)
Beam Angle	150°
IP Rating	IP20/ IP65/ IP67 Plus [Dry/Wet]

Configuration reference

TRU-SCOB24V-B

Dimension	3000*30*2.3mm [118*1.18*0.09in.]
Increment	25mm [0.98in.]
LED Type	COB (Chip On Board))
LED Qty	1920chips/M [585chips/ft.]
Voltage	24VDC
Power	30W/M [6.1W/ft.]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	2930lm/M[890lm/ft.] (5000K)
Light Efficiency	98lm/W (5000K)
Brightness	3010lm/M[920lm/ft.] (6500K)
Light Efficiency	100lm/W (6500K)
Brightness	Not specified
Light Efficiency	Not specified
Beam Angle	150°
IP Rating	IP20/ IP65/ IP67 Plus [Dry/Wet]

Request pricing & availability

Request a product quote at truled.com

Include any configuration reference, quantities, required lengths and project location.

A configuration reference identifies a published specification row. A row may list multiple options; it is not confirmation that every option is included. This sheet is not an installation instruction or an approved project submittal.