COB STRIPS

White Ultra-Long 30M 48V 420Chips/M 10mm LED strip

TRU-SCOB48V10MM

White Ultra-Long 30M 48V 420Chips/M 10mm LED strip. Review the dimensions and electrical ratings for your installation.

Use this catalog sheet to discuss your project. Final dimensions, ratings, certifications and available configurations must be confirmed for the selected product.



Product specifications

Truled part number	TRU-SCOB48V10MM
Category	LED strips
Product type	COB strips

Configuration reference

TRU-SCOB48V10MM-A

Dimension	L30000*W10*H1.9mm [L1181*W0.39*H0.07in.]
Increment	100mm [3.94in.]
LED Type	COB (Chip On Board)
LED Qty	420chips/M [128chips/ft.]
Voltage	48VDC
Power	8W/M [2.44W/ft.]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	672lm/M[205lm/ft.] (2700K)
Light Efficiency	84lm/W (2700K)
Brightness	688lm/M[210lm/ft.] (3000K)
Light Efficiency	86lm/W (3000K)
Brightness	720lm/M[220lm/ft.] (4000K)
Light Efficiency	90lm/W (4000K)
Beam Angle	150°
IP Rating	IP20/IP65/ IP67 Plus [Dry/Wet]

Configuration reference

TRU-SCOB48V10MM-B

Dimension	L30000*W10*H1.9mm [L1181*W0.39*H0.07in.]
Increment	100mm [3.94in.]
LED Type	COB (Chip On Board)
LED Qty	420chips/M [128chips/ft.]
Voltage	48VDC
Power	8W/M [2.44W/ft.]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	736lm/M[224lm/ft.] (5000K)
Light Efficiency	92lm/W (5000K)
Brightness	760lm/M[232lm/ft.] (6500K
Light Efficiency	95lm/W (6500K)
Brightness	Not specified
Light Efficiency	Not specified
Beam Angle	150°
IP Rating	IP20/IP65/ IP67 Plus [Dry/Wet]

Request pricing & availability

Request a product quote at truled.com

Include any configuration reference, quantities, required lengths and project location.

A configuration reference identifies a published specification row. A row may list multiple options; it is not confirmation that every option is included. This sheet is not an installation instruction or an approved project submittal.