COB STRIPS

White Ultra-Wide 24V 960Chips/M 15mm LED strip

TRU-SCOC24V

White Ultra-Wide 24V 960Chips/M 15mm LED strip. Review the dimensions and electrical ratings for your installation.

Use this catalog sheet to discuss your project. Final dimensions, ratings, certifications and available configurations must be confirmed for the selected product.



Product specifications

Truled part number	TRU-SCOC24V
Category	LED strips
Product type	COB strips

Configuration reference

TRU-SCOC24V-A

Dimension	3000*15*2.2mm [118*0.59*0.09in.]
Increment	50mm [1.97in.]
LED Type	COB (Chip On Board))
LED Qty	960chips/M [293chips/ft.]
Voltage	24VDC
Power	20W/M [6.1W/ft.]]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	1690lm/M[515lm/ft.] (2700K)
Light Efficiency	85lm/W (2700K)
Brightness	1730lm/M[530lm/ft.] (3000K)
Light Efficiency	86lm/W (3000K)
Brightness	1920lm/M[585lm/ft.] (4000K)
Light Efficiency	96lm/W (4000K)
Beam Angle	150°
IP Rating	IP20/ IP65/ IP67 Plus [Dry/Wet]

Configuration reference

TRU-SCOC24V-B

Dimension	3000*15*2.2mm [118*0.59*0.09in.]
Increment	50mm [1.97in.]
LED Type	COB (Chip On Board))
LED Qty	960chips/M [293chips/ft.]
Voltage	24VDC
Power	20W/M [6.1W/ft.]]
CCT / Wavelength	2700K 3000K 4000K 5000K 6500K
Brightness	2010lm/M[610lm/ft.] (5000K)
Light Efficiency	99lm/W (5000K)
Brightness	2070lm/M[630lm/ft.] (6500K)
Light Efficiency	104lm/W (6500K)
Brightness	Not specified
Light Efficiency	Not specified
Beam Angle	150°
IP Rating	IP20/ IP65/ IP67 Plus [Dry/Wet]

Request pricing & availability

Request a product quote at truled.com

Include any configuration reference, quantities, required lengths and project location.

A configuration reference identifies a published specification row. A row may list multiple options; it is not confirmation that every option is included. This sheet is not an installation instruction or an approved project submittal.